

Test Report No. SHAEC1101620905 Date: 24 Feb 2011 Page 1 of 12

SHANDONG SUN PAPER INDUSTRY JOINT STOCK CO.,LTD NO.1 YOUYI STREET YANZHOU CITY SHANDONG CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Art paper

SGS Job No. : SP11-002812 - SH

Composition: Commodity wood pulp Calcium carbonate

Date of Sample Received: 17 Feb 2011

Testing Period: 17 Feb 2011 - 23 Feb 2011

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted samples, the results comply with the

RoHS Directive 2002/95/EC and its subsequent amendments.

When tested as specified, the submitted sample complies with the Total Lead, Mercury and Soluble Heavy Metal requirements stated in Canadian Hazardous

Products Act, R.S.,c.H-3 Schedule I Part I, Item 9 and its amendment

SOR/2010-225.

When tested as specified, the submitted sample complies with the stated

requirements of the European Standard EN 71 Part3:1994+ A1:2000 + AC: 2002.

When tested as specified, the lead and soluble heavy metal content of the submitted sample complies with the stated Requirements of ASTM F 963-08. When tested as specified, Dimethyl fumarate(DMF) content of the submitted

sample complies with the requirement of EU Directive 2009/251/EC

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in the sumitation of its presention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for presenting all the sumitations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. This document cannot be reproduced except in full, without prior written approval of the Company. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

In this document is sumitation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No. SHAEC1101620905 Date: 24 Feb 2011 Page 2 of 12

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

1 SHA11-016209.002 White paper

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive 2002/95/EC

Test Method: With reference to IEC 62321:2008

- (1) Determination of Cadmium by ICP-OES.
- (2) Determination of Lead by ICP-OES.
- (3) Determination of Mercury by ICP-OES.
- (4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.
- (5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. In the mand, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in terms that it is interestable in an adjurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interestable in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for processing all this yights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

And the process of the process of the process of the sample (s) tested.

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 · 徐汇区宜山路889号3号楼 邮编: 200233



Test Report	No. SHAEC110162090)5	Date: 24 Feb 2011		Date: 24 Feb 20		Page 3 of 12
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>			
Dibromodiphenyl ether	-	mg/kg	5	ND			
Tribromodiphenyl ether	-	mg/kg	5	ND			
Tetrabromodiphenyl ether	-	mg/kg	5	ND			
Pentabromodiphenyl ether	-	mg/kg	5	ND			
Hexabromodiphenyl ether	-	mg/kg	5	ND			
Heptabromodiphenyl ether	-	mg/kg	5	ND			
Octabromodiphenyl ether	-	mg/kg	5	ND			
Nonabromodiphenyl ether	-	mg/kg	5	ND			
Decabromodiphenyl ether	-	mg/kg	5	ND			

Notes:

(1) The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive

2002/95/EC

<u>Canadian Hazardous Products Act, R.S.,c.H-3 Schedule I, Part I, Item 9 and its amendment SOR/2010-225 - Total Lead, Mercury and Soluble Heavy Metal in surface coating materials</u>

Test Method: Samples were prepared with reference to Health Canada, Product Safety Laboratory, Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2(total Pb & Hg), and Method C-03 (Soluble 5E), analysis was performed by ICP-OES(total Pb and Soluble 5E) and Hg Analyzer.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Total Lead (Pb)	0.009	%	0.002	ND
Total Mercury (Hg)	♦	%	0.0001	ND
Soluble Antimony (Sb)	0.1	%	0.005	ND
Soluble Arsenic (As)	0.1	%	0.005	ND
Soluble Barium (Ba)	0.1	%	0.005	ND
Soluble Cadmium (Cd)	0.1	%	0.005	ND
Soluble Selenium (Se)	0.1	%	0.005	ND

Notes:

(1) ♦ Any compound of mercury introduced as such.

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. In the mand, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in terms that it is interestable in an adjurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interestable in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for processing all this yights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

And the process of the process of the process of the sample (s) tested.

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 · 徐汇区宜山路889号3号楼 邮编: 200233



Test Report	No. SHAEC1101620905		Date: 24 I	Feb 2011	Page 4 of 12
Test Item(s)	<u> </u>	<u>Jnit</u>	<u>MDL</u>	<u>002</u>	
Fluorine (F)	n	ng/kg	50	ND	
Chlorine (CI)	n	ng/kg	50	139	
Bromine (Br)	n	ng/kg	50	ND	
lodine (I)	n	ng/kg	50	ND	

Extractable Formaldehyde

Test Method: With reference to EN 645:1993 (cold water extraction), analysis was performed by UV-Vis.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Formaldehyde	mg/kg	5	ND

EN 71 Part3:1994 (including amendment A1:2000/AC:2002) - Migration of Certain Elements

Test Method: With reference to EN 71 Part 3:1994 + A1:2000 + AC: 2002, analysis was performed by ICP-OES

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Soluble Lead (Pb)	90	mg/kg	5	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND
Soluble Arsenic (As)	25	mg/kg	5	ND
Soluble Barium (Ba)	1,000	mg/kg	10	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND
Soluble Chromium (Cr)	60	mg/kg	5	ND
Soluble Mercury (Hg)	60	mg/kg	5	ND
Soluble Selenium (Se)	500	mg/kg	10	ND

Notes:

(1) Results shown are of the adjusted analytical results.

ASTM F 963-08 - Heavy Metal Analysis : Total Lead content (Clause 4.3.5)

Test Method: With reference to CPSC Test Method: CPSC-CH-E1003-09, analysis was performed by ICP-OES.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. In the mand, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in terms that it is interestable in an adjurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interestable in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for processing all this yights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

And the process of the process of the process of the sample (s) tested.

nghai Co.l.ld 3rd Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAEC1101620905 Date: 24 Feb 2011 Page	ge 5 of 12
--	------------

 Test Item(s)
 Limit
 Unit
 MDL
 002

 Total Lead (Pb)
 90
 mg/kg
 20
 ND

Phthalates

Test Method: With reference to EN14372: 2004, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Dibutyl Phthalate (DBP)	%	0.003	ND
Benzylbutyl Phthalate (BBP)	%	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	ND
Diisononyl Phthalate (DINP)	%	0.010	ND
Di-n-octyl Phthalate (DNOP)	%	0.003	ND
Diisodecyl Phthalate (DIDP)	%	0.010	ND

Notes:

- (1) DBP,BBP,DEHP Reference information: Entry 51 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC):
 - i) Shall not be used as substances or in mixtures, in concentrations greater than 0,1 % by weight of the plasticised material, in toys and childcare articles.
 - ii) Toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information DINP, DNOP, DIDP Reference information: Entry 52 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC).

- i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.
- ii) Such toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

ASTM F 963-08 - Heavy Metal Analysis: Soluble Heavy Metal (Clause 4.3.5)

Test Method: Soluble Heavy Metal contents (Clause 4.3.5) - Sample was extracted by dilute hydrochloric acid in accordance with ASTM F 963-08(Clause 8.3), analysis was performed by ICP-OES.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.
In and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indigents within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all this lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The solid product of the content or appearance of the sample(s) tested.

3^{rig}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report	No. SHAEC1101620905		Date: 24	Feb 2011	Page 6 of 12
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	
Soluble Lead (Pb)	90	mg/kg	5	ND	
Soluble Antimony (Sb)	60	mg/kg	5	ND	
Soluble Arsenic (As)	25	mg/kg	5	ND	
Soluble Barium (Ba)	1,000	mg/kg	10	ND	
Soluble Cadmium (Cd)	75	mg/kg	5	ND	
Soluble Chromium (Cr)	60	mg/kg	5	ND	
Soluble Mercury (Hg)	60	mg/kg	5	ND	
Soluble Selenium (Se)	500	mg/kg	10	ND	

Notes:

(1) Results shown are of the adjusted analytical results

Dimethyl Fumarate (DMF)

Test Method: Solvent extraction, analysis was performed by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Dimethyl fumarate(DMF)	0.1	mg/kg	0.1	ND

Notes:

(1) The maximum permissible limit is quoted from the document EU Directive 2009/251/EC.

PFOS (Perfluorooctane Sulfonates) and PFOA (Perfluorooctanoic Acid)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by HPLC-MS.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Perfluorooctane Sulfonates (PFOS) and related	mg/kg	10	ND
Acid,Metal Salt and Amide			
Perfluorooctyl Acid (PFOA)	mg/kg	10	ND

Notes:

- (1) PFOS Reference Information: Entry 53 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2006/122/EC)
 - (i) May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.
 - (ii) May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1μg /m² of the coated material.

Please refer to Regulation (EC) No 552/2009 to get more detail information

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.
In and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indigents within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all this lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The solid product of the content or appearance of the sample(s) tested.

3^{rs}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAEC1101620905


Date: 24 Feb 2011

Page 7 of 12

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Allen Xiao/ Wesley Wei / Andy Zhao /Elim Lin
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/Tracy Yue
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant for its instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all threshy lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. This document cannot be reproduced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3^{rig}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233




No. SHAEC1101620905

Date: 24 Feb 2011

Page 8 of 12

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Vickey Gui
- 2) Name of the person in charge of testing: Susan Liu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant for its instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all threshy lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. This document cannot be reproduced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1101620905


Page 9 of 12

Date: 24 Feb 2011

Halogen Testing Flow Chart

1) Name of the person who made testing: Daisy Gong

2) Name of the person in charge of testing: Alex Jiang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant for its instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all threshy lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. This document cannot be reproduced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No. SHAEC1101620905

Page 10 of 12

Date: 24 Feb 2011

PFOS/PFOA Testing Flow Chart

- 1) Name of the person who made testing: Judy Li
- 2) Name of the person in charge of testing: Nancy Du



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant for its instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all threshy lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. This document cannot be reproduced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Test Report No. SHAEC1101620905 Date: 24 Feb 2011 Page 11 of 12

DMF (Dimethyl fumarate) Testing Flow Chart

1) Name of the person who made testing: Tina Hu

2) Name of the person in charge of testing: Tracy Yue



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant for its instruction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all threshy lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. This document cannot be reproduced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

nghái Co.l.ld 3^{ri}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 - 徐汇区宜山路889号3号楼 邮编: 200233



No. SHAEC1101620905

Date: 24 Feb 2011

Page 12 of 12

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. In the mand, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in terms that it is interestable in an adjurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interestable in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for processing all this yights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

And the process of the process of the process of the sample (s) tested.